


ΔHBR9



Made and published by the Director General of the Ordnance Survey, Southampton.

Scale 1:2500

Levelled 1957.58
Boundaries May 1977

Abbreviations: (b) Jan 1977

1:2500 scale * 1:11350 scale (photographically reduced)

(a) Surveyed
(b) Reconstructed from former County Series plans and revised
(c) Revised

Surveys of changes since the publication of this plan may be available. Enquiries should be addressed to the Director General or to the local Ordnance Survey office.

HEIGHTS are given in METRES above the Newlyn Datum.

Bench mark lines, which may contain level information and particulars of bench marks to which no values have been shown, are obtainable from the Director General, Ordnance Survey.

The representation on this plan of a road, track or path is irrespective of the existence of a right of way.

The alignment of all other features shown is approximate.

© Crown Copyright 1978

AN SU 0644-0744

ABBREVIATIONS

B.H.	Beer House	R.H.	Road House
B.P.	Bench Mark	rp.	Revision Point
B.P.	Boundary Pillar	S.G.	Steep
B.S.	Boundary Stone	L.H.	Lighthouse
C.	Clash	L.T.	Lightning Tower
Ch.	Chapel	M.H.W.	Mean High Water
Chm.	Chimney	M.H.W.S.	Mean High Water Springs
Co.	Coastline	M.L.W.	Mean Low Water
Co.	Coastline	M.L.W.S.	Mean Low Water Springs
CP.	Drinking Fountain	M.P.	Mill or Mill Pond
E.L.	Electricity Pylon	M.P.U.	Mail Pick-up
E.L.	Electricity Transmission Line	M.S.	Mile Stone
F.A.P.	Fire Alarm Pillar	N.T.E.	Normal Total Limit
F.B.H.	Filter Bed or Foot Bridge	P.	Pillar, Pole or Post
F.F.P.	Fire Station	P.C.	Public Convenience
F.S.	Flagstaff	P.C.B.	Police Call Box
F.T.	Fundamental Bench Mark	P.C.O.	Police Office
F.V.C.	Fire Valve Compound	P.P.	Pump
H.	Hazard	P.T.P.	Police Telephone Pillar
ha.	Hectares		
h.	Height		
L.B.	Liver Box		

SYMBOLS

	Non-conformant road		Slopes
	Canalized stream		Cliff
	Cartway		Direction of water flow
	Case entrance		E.T.L. Electricity Transmission Station
	Field boundary		Triangulation station
	Rock		Traverse station (permanent)
	Copper wire		Traverse station (temporary)
	Stone		Bench mark
	Stone wall		Surface level
	Stone wall (dry)		Revision point
	Stone wall (wet)		Revision point and bench mark coincident
	Stone wall (broken)		
	Stone wall (circular)		
	Stone wall (square)		
	Stone wall (triangular)		
	Stone wall (rectangular)		
	Stone wall (circular)		

BOUNDARIES

	Parish Boundary		Borough Boundary
	Civil Parish Boundary		Ward Boundary
	Electoral Division Boundary		County Boundary

ENGLAND & WALES

B.B.	Bay of Beach	C.S.	Centre of Stream, etc.	F.B.	Face of Fence	E.B.	Top of Bank
C.B.	Centre of Bank	F.P.	Face of Path	F.H.	Face of Hill	H.H.	Top of Hedge
C.C.S.	Centre of Covered Stream	D.H.	Edge of Hill	S.H.	Side of Hill	U.	Undefined
C.D.	Centre of Drain, etc.	E.K.	Edge of Kettle	S.R.	Side of River, etc.		

SCOTLAND

Region or Islands Area	
County	
Electoral Division	
Not shown	
Electoral Division	
Ward	
Consistency (Co or Borough)	

CONVERSION SCALES

Metres	30 40 50 60 70 80 90 100 110 120 130 140 150 160 170 180 190 200 210 220 230 240 250 260 270 280 290 300 310 320 330 340 350 360 370 380 390 400 410 420 430 440 450 460 470 480 490 500 510 520 530 540 550 560 570 580 590 600 610 620 630 640 650 660 670 680 690 700 710 720 730 740 750 760 770 780 790 800 810 820 830 840 850 860 870 880 890 900 910 920 930 940 950 960 970 980 990 1000	Hectares	1
Feet	100 150 200 250 300 350 400 450 500 550 600 650 700 750 800 850 900 950 1000	Acres	2.5

NATIONAL GRID REFERENCE

The grid lines form part of the National Grid and are at 100 metre intervals. To give a unique reference defining the position of a point to within 10 metres proceed as follows:

- Take the two letters preceding the sheet number.
- Take the west edge of the grid square in which the point lies and read the figures opposite this line on the north or south margin. Estimate tenths of metres from the grid line to the point (distance *a*). The resulting four figure number is the Easting.
- Take the south edge of the grid square in which the point lies and read the figures opposite this line on the east or west margin. Estimate tenths of metres from the grid line to the point (distance *b*). The resulting four figure number is the Northing.
- The full 100 metre reference is given by writing first the letters, followed by the Easting and then by the Northing.

For further information see 'An Introduction to the Projection for Ordnance Survey Plans and the National Reference System'.

EXAMPLE from sheet TQ 0526

TQ	058		
42	79		
08	88		
29			
08			
29			
08			
29			
08			
29			