



COMPILED DATA

Levelled 1957.58
Boundaries Nov 1974

1:12500 scale * 1:12500 scale (photographically reduced)
(a) Surveyed.
(b) Reconstituted from former County Survey plans and revised.
(c) Revised.

Surveys of changes since the publication of this plan may be available. Enquiries should be addressed to the Director General or to the local Ordnance Survey office.

HEIGHTS are given in METRES above the Newlyn Datum.
Bench mark lines, which may contain later levelling information and particulars of bench marks to which no values have been shown, are obtainable from the Director General, Ordnance Survey.
The representation on this plan of roads, tracks or paths is evidence of the existence of a right of way.
The alignment of tunnels, where shown is approximate.

Abbreviations:

B.H.	Bench Mark	P.T.P.	Police Telephone Pillar
B.M.	Bench Mark	R.H.	Road House
B.S.	Boundary Stone	R.P.	Revision Point
C.	Craze	S.	Scove
C.H.	Club House	S.B.	Signal Box
Ch.	Chimney	S.L.	Signal Light
Cl.	Causeway	S.D.	Sundial
D.F.	Drinking Fountain	S.H.W.	Mean High Water Springs
D.K.	Duck	H.W.	Mean Low Water Springs
E.T.	Electricity Filter or Pole	M.P.U.	Mail Pick-up
F.A.	Fire Alarm	M.S.	Mile Stone
F.B.M.	Fire Bell or Foot Bridge	N.T.S.	National Trust
F.S.	Fundamental Bench Mark	N.T.L.	Normal Tidal Limits
F.I.	Flagstaff	N.T.S.	National Trust for Scotland
F.P.	Fine Alarm	P.	Pillar, Pole or Post
G.P.	Guide Post	P.	Path (unmarked)
G.V.C.	Gate Valve Compound	P.C.	Public Convenience
H.	Hydrant or Hydraulic	P.H.	Public House
H.	Hectares	P.O.	Post Office
L.B.	Letter Box	P.	Pump

ABBREVIATIONS

L.C.	Level Crossing	P.P.	Police Telephone Pillar
L.G.	Lighthouse	R.H.	Road House
L.T.	Lighting Tower	R.P.	Revision Point
M.	Metres	S.	Scove
H.W.	Mean High Water	S.B.	Signal Box
M.L.W.	Mean Low Water	S.L.	Signal Light
M.P.U.	Mail Pick-up	S.D.	Sundial
M.S.	Mile Stone	S.H.W.	Mean High Water Springs
N.T.S.	National Trust	H.W.	Mean Low Water Springs
N.T.L.	Normal Tidal Limits	M.P.U.	Mail Pick-up
N.T.S.	National Trust for Scotland	M.S.	Mile Stone
P.	Pillar, Pole or Post	N.T.S.	National Trust
P.	Path (unmarked)	N.T.L.	Normal Tidal Limits
P.C.	Public Convenience	N.T.S.	National Trust for Scotland
P.H.	Public House	P.	Pillar, Pole or Post
P.O.	Post Office	P.	Path (unmarked)
P.	Pump	P.C.	Public Convenience

SYMBOLS

Non-coniferous trees	Slopes	Site of antiquity
Coniferous trees	Cliff	Culvert
Surveyed trees	Cave entrance	Direction of water flow
Gardens	Rock	Electricity pylon
Colicope, oval	Boulders	Electricity Transmission Line
Scrub	Spilling masonry	Tramway station
Bracken	Roofed building	Traverse station (permanent)
Glasshouse	Archway	Bench mark
Change of boundary marking	Revision point	Surface level
SEE AREAS	Revision point & bench mark coincident	Revision point

BOUNDARIES

County	Geographical Country
District	County Council
London Borough	County of the City
Civil Parish	Borough
Community (Wales)	Civil Parish
Electoral Division	Dist. Bdy.
Word Bdy.	Word Bdy.
Parish Constituency	Borough Const. & Ward Bdy.
Borough Const. & Ward Bdy.	Co. Const. Bdy.

NATIONAL GRID REFERENCE

The grid lines form part of the National Grid and are at 100 metre intervals. To give a unique reference defining the position of a point to within 10 metres proceed as follows—

EXAMPLE from sheet TQ 0529

1. Take the two letters preceding the sheet number— TQ 292

2. Take the west edge of the grid square in which the point lies and read the figure opposite this line on the north or south margin— 058

3. Take the south edge of the grid square in which the point lies and read the figure opposite this line on the east or west margin— 291

4. The full ten metre reference is given by writing first the letters followed by the Easting and then by the Northing— TQ 058291

For further information see 'An Introduction to the Projection for Ordnance Survey Maps and the National Reference System.'