



Made and published by the Director General of the Ordnance Survey, Southampton.

Made and published by the Director General of the Ordnance Survey, Southampton.

COMPILATION DATA

Levelled 1958
 Boundaries Aug 1973

1:2500 scale
 (a) Surveyed
 (b) Reconstructed from former County Series plans and revised.
 (c) Revised.

Surveys of changes since the publication of this plan may be available. Enquiries should be addressed to the Director General or to the local Ordnance Survey office.

HEIGHTS are given in METRES above the Newlyn Datum.
 Bench mark lists, which may contain level levelling information and particulars of bench marks to which no values have been shown, are obtainable from the Director General, Ordnance Survey.
 The representation of this plan of a road, track or path is no evidence of the existence of a right of way.
 The alignment of tunnels where shown is approximate.

Copyright 1974

PLAN SU 2236-2336

ABBREVIATIONS

B.H.	Beer House	L.B.S.	Levelled Station	P.T.P.	Police Telephone Pillar
B.M.	Bench Mark	L.C.	Level Crossing	R.H.	Road House
B.P.	Boundary Post	L.G.	Loading Gauge	rp	Revision Point
B.S.	Boundary Stone	L.H.	Lighthouse	S.	Stone
C.	Croft	L.T.	Lighting Tower	S.B.	Signal Box
C.H.	Club House	m	Metres	S.Br.	Signal Bridge
Ch.	Chimney	M.H.W.	Mean High Water	S.D.	Sundial
Ci.	Cistern	M.L.W.	Mean Low Water	S.L.	Signal Light
Cn.	Chimney	M.P.	Mean Low Water Spring	Sr.	Signal Post
D.F.	Drinking Fountain	M.P.U.	Mail Pick-up	S.S.	Spring
Dk.	Dock	M.S.	Mean Sea Level	S.P.	Signal Post
E.P.	Electricity Pole or Post	M.T.S.	Mean Tidal Stream	Sp	Sluice
E.T.L.	Electricity Transmission Line	N.T.L.	Normal Tidal Limit	Sr	Signal Station
F.A.	Fire Alarm	N.T.S.	Normal Tidal Stream	T.C.B.	Telephone Call Box
F.A.P.	Fire Alarm Pillar	N.T.P.	National Trust for Scotland	T.C.P.	Telephone Call Post
F.B.	Fundamental Bench Mark	N.T.	Normal Tidal Limit	Tk	Tank or Track
F.B.M.	Fundamental Bench Mark	N.T.S.	Normal Tidal Stream	Tr	Trough
F.S.	Flagstaff	P.	Pillar, Pole or Post	Trs	Traverse Station
F.Sta.	Fire Station	Pa	Public Path	W	Well
G.P.	Guide Post	P.C.	Public Convenience	W.B.	Wing Bridge
G.V.C.	Gas Valve Compound	P.C.B.	Public Call Box	W.P.	Wind Pump
H.	Hydrant or Hydraulic	P.H.	Public House	Wks	Works
Ha	Heath	P.O.	Post Office	W.P.	Water Point
L.B.	Letter Box	P.	Pump	W.T.	Water Tap

SYMBOLS

Non-coniferous trees	Slopes	Size of antiquity
Coniferous trees	Cliff	Culvert
Surveyed trees	Cave entrance	Direction of water flow
Orchard trees	Rock	Electricity pylon
Coppice cover	Buildings	Electricity Transmission Line
Scrub	Sloping masonry	Transection station
Bracken	Roofed building	Traverse station (permanent)
Heath	Glasshouse	Bench mark
Rough grassland	Archway	Surface level
Marsh, saltmarsh	Change of boundary marking	Revision point
Reeds	see AREAS notes	Revision point & bench mark coincident

BOUNDARIES

England & Wales		Scotland	
Geographical County	County Council	Geographical County	County Council
County Borough	County Borough	Borough	Borough
London Borough	County Districts	Dist. Bd.	Dist. Bd.
Rural Borough	Civil Parish	Civil Parish	Civil Parish
Borough	Borough	Borough	Borough
Co. Const. & Ward Bd.	Co. Const. & Ward Bd.	Co. Const. & Ward Bd.	Co. Const. & Ward Bd.
Partly Consistency & Ward	Partly Consistency & Ward	Partly Consistency & Ward	Partly Consistency & Ward

AREAS

Area measurement is to plan edge only.
 The number and area in hectares (ha) and acres is shown within each parcel of land.

EXAMPLE 1: 800ha area in hectares
 EXAMPLE 2: 197 acres area in acres

When identifying a parcel it is important to specify the number of the plan on which it falls.
 Enclosures or features joined for measurement of area.

Limit of area within which individual parcels are not shown: 2.4105
 To convert acres to hectares multiply by 0.40469

NATIONAL GRID REFERENCE

The grid lines form part of the National Grid and are at 100 metre intervals. To give a unique reference defining the position of a point on the plan, the number of the grid square in which the point lies and the figure opposite this line on the north or south margin (to the east or west margin) are given. The resulting four figure number is the Easting (to the east or west margin) and the resulting four figure number is the Northing (to the north or south margin).

EXAMPLE from sheet TQ 0529

1. Take the two letters preceding the sheet number: TQ 292

2. Take the west edge of the grid square in which the point lies and read the figure opposite this line on the north or south margin. Estimate tenths of metres from the grid line to the point (distance x) 058

3. Take the south edge of the grid square in which the point lies and read the figure opposite this line on the east or west margin. Estimate tenths of metres from the grid line to the point (distance y) 291

4. The full ten metre reference is given by writing first the letters followed by the Easting and then by the Northing: TQ 058291

For further information see 'An Introduction to the Projection for Ordnance Survey Maps and the National Reference System'