



Made and published by the Director General of the Ordnance Survey, Southampton.

COMPILED DATA

Levelled 1974
Boundaries ... Dec 1979

(1) 1:2500 scale (2) 1:1250 scale (photographically reduced)
(3) Surveyed
(4) Reconstructed from former County Series plans and revised.

Surveyors of changes since the publication of this plan may be available. Enquiries should be addressed to the Director General or to the local Ordnance Survey office.

Beach mark lists, which may contain laser levelling information and particulars of bench marks (a) which no values have been shown, are obtainable from the Director General, Ordnance Survey.
(b) representations on this plan of road tracks or paths are evidence of the existence of a right of way.
The alignment of sunbeams where shown is approximate.

ABBREVIATIONS

B.H.	Bear House	L.C.	Lifeboat Station	R.H.	Road House
B.P.	Bench Mark	L.Cr.	Level Crossing	rp	Revision Point
B.S.	Boundary Stone	L.G.	Landing Stage	S	Stone
C.H.	Club House	L.H.	Lighthouse	S.B.	Signal Box
Ch.	Chimney	L.T.	Lighting Tower	S.Br.	Signal Bridge
Cn.	Cannan	M.	Marsh	S.D.	Signal
D.F.	Drinking Fountain	M.H.W.	Mean High Water	S.L.	Signal Light
E.P.	Electricity Pylon or Pole	M.L.W.	Mean Low Water	Sr.	Signal Post
E.T.L.	Electricity Transmission Line	M.L.W.S.	Mean Low Water Springs	Sr.	Spring
F.A.	Fire Alarm	M.P.	Mail or Mailing Point	S.S.	Signal Station
F.A.P.	Fire Alarm Pillar	M.P.U.	Mail Pick-up	T.C.B.	Telephone Call Box
F.B.	Fire Bed on Foot Bridge	M.T.	Mill	T.C.P.	Telephone Call Post
F.M.	Fundamental Bench Mark	N.L.	Normal Tidal Limits	Tk.	Track or Track
F.S.	Flagstaff	P.	Pillar, Pole or Post	Tt.	Trough
F.Si.	Fire Station	P.H.	Public House	Tr.	Traverse Station
G.P.	Guide Post	P.C.	Public Convenience	W.	Well
G.V.C.	Gas Valve Compound	P.C.B.	Police Call Box	W.B.	Weightbridge
H.	Hydrant or Hydraulic	P.H.	Public House	W.P.	Wind Pump
Pa.	Post Office	P.O.	Post Office	Wk.	Works
La.	Lectern	P.P.	Pump	W.P.	Water Point
L.P.	Letter Box	P.T.P.	Police Telephone Pillar	W.T.	Water Tap

SYMBOLS

	Non-coniferous trees		Slopes		Site of antiquity
	Coniferous trees		F.Chiff		Culvert
	Surveyed trees		Cave entrance		Direction of water flow
	Orchard trees		Rock		Pylon
	Coppice trees		Boulders		Electricity Transmission Line
	Scrub		Sloping masonry		Triangulation station
	Heath		Road building		Traverse station (permanent)
	Bracken, rough grassland		Glasshouse		Bench mark
	Upland fash		Archway		Surface level
	Marsh		Change of boundary marking		Revision point
	Reeds		Revision point and bench mark coincident		

BOUNDARIES

	ENGLAND & WALES		SCOTLAND
	County		Region or Islands Area
	District		District
	London Borough		Civil Parish (England)
	Community (Wales)		Electoral Division
	Electoral Division		Ward
	Constituency (County, Borough or European Assembly)		Baro Const Bdy
			Burgh Const Bdy
			Co Const Bdy

Coincident boundaries are shown by the first appropriate symbol above, e.g. Baro Const & ED Bdy.

For Ordnance Survey purposes County Boundary is deemed to be the limit of the parish structure whether or not a parish area remains.

Made and published by the Director General of the Ordnance Survey, Southampton.

AREAS

The number and area, in hectares (ha) and acres, is shown within each parcel of land.

EXAMPLE: 4267 parcel number
1-67ha area in hectares
4.47 area in acres

When identifying a parcel it is important to specify the number of the plan on which it falls.
Enclosures or features joined for measurement of area.
Limits of area within which individual parcels are not shown.
To convert hectares to acres multiply by 2.471 05.
To convert acres to hectares multiply by 0.404 69.

NATIONAL GRID REFERENCE

The grid lines form part of the National Grid and are at 100 metre intervals. To give a unique reference defining the position of a point to within 10 metres proceed as follows:

EXAMPLE from sheet TQ 0929

1. Take the two letters preceding the sheet number TQ 098

2. Take the west edge of the grid square in which the point lies and read the figures opposite this line on the north or south margin 058
Estimate tenths of metres from the grid line to the point (distance in metres) 8
The resulting four-figure number is the Easting 0588

3. Take the south edge of the grid square in which the point lies and read the figures opposite this line on the east or west margin 291
Estimate tenths of metres from the grid line to the point (distance in metres) 5
The resulting four-figure number is the Northing 2915

4. The full ten metre reference is given by writing first the letters, followed by the Easting and then by the Northing. The resulting reference is TQ 0588 2915.

For further information see An Introduction to the Projection for Ordnance Survey Maps and the National Reference System.

