



Made and published by the Director General of the Ordnance Survey, Southampton.

COMPILED DATA

Levelled 1952
Boundaries Oct 1977


↑
(b) Aug 1977

1:2500 scale * 1:1250 scale (photographically reduced)

(a) Surveyed.
(b) Reconstructed from former County Series plans and revised.
(c) Revised.

Surveys of changes since the publication of this plan may be available. Enquiries should be addressed to the Director General or to the local Ordnance Survey office.

HEIGHTS are given in METRES above the Newlyn Datum.
Bench mark lists, which may contain later levelling information and particulars of bench marks to which no values have been shown, are obtainable from the Director General, Ordnance Survey.
The representation on this plan of a road, track or path is evidence of the existence of a right of way.
The alignment of canals where shown is approximate.



ABBREVIATIONS

B.H.	Beer House	L.B.St.	Lifeboat Station	R.H.	Road House
B.M.	Bench Mark	L.C.	Level Crossing	R.P.	Revision Point
B.P.	Boundary Post	L.G.	Loading Gauge	S.	Stone
B.S.	Boundary Stone	L.H.	Lighthouse	S.B.	Signal Box
C.	Craze	L.T.	Lighting Tower	S.D.	Sandial
C.H.	Club House	M.	Mere	S.L.	Signal Light
Ch.	Chimney	M.H.W.	Mean High Water	S.P.	Signal Post
Cl.	Cannon	M.H.W.S.	Mean High Water Springs	S.S.	Spring
D.F.	Drinking Fountain	M.L.W.	Mean Low Water	S.Sa.	Signal Station
E.P.	Electricity Pole	M.L.W.S.	Mean Low Water Springs	T.C.B.	Telephone Call Box
E.T.L.	Electricity Transmission Line	M.P.	Mile or Mooring Post	T.C.P.	Telephone Call Post
F.A.	Fire Alarm	N.T.	Normal Tidal Limit	Tr.	Track
F.B.	Filter Bed or Foot Bridge	N.P.	Normal Tide Limit	Tr.	Track
F.P.	Fundamental Bench Mark	N.P.M.	Normal Tide Limit	Tr.	Track
F.S.	Flagstaff	N.P.P.	Normal Tide Limit	Tr.	Track
F.St.	Fire Station	N.P.P.	Normal Tide Limit	Tr.	Track
G.P.	Guide Post	N.P.P.	Normal Tide Limit	Tr.	Track
G.V.C.	Gas Valve Compound	N.P.P.	Normal Tide Limit	Tr.	Track
H.	Hydrant or Hydraulic	N.P.P.	Normal Tide Limit	Tr.	Track
H.	Hectares	N.P.P.	Normal Tide Limit	Tr.	Track
L.B.	Letter Box	N.P.P.	Normal Tide Limit	Tr.	Track

SYMBOLS

	Non-coniferous trees		Slopes
	Coniferous trees		Cliff
	Surveyed trees		Cave entrance
	Coppice/scrub		Rock
	Heath		Boulders
	Scrub		Sloping masonry
	Heath (um)		Rooked building
	Heath (um)		Glasshouse
	Heath (um)		Archway
	Heath (um)		Change of boundary mering
	Heath (um)		Revision point and bench mark coincident

BOUNDARIES

	ENGLAND & WALES		SCOTLAND
	County		Region or Islands Area
	District		Civil Parish (England)
	London Borough		Electoral Division
	Civil Parish (Wales)		Ward
	Electoral Division		Borough Council
	Ward		County Council
	Constituency (Co or Boro)		Borough Council & E.D.
	Constituency (Co or Boro)		Borough Council & E.D.

Concurrent boundaries are shown by the first appropriate symbol above, e.g. Boro Council & E.D. boundary.

For Ordnance Survey purposes County Boundary is deemed to be the limit of the parish structure whether or not a parish area adjoins.

BOUNDARY MERINGS

B.B.	Base of Bank	C.R.	Centre of Road, etc.	F.W.	Face of Wall	T.B.	Top of Bank
C.B.	Centre of Bank	C.S.	Centre of Stream, etc.	F.W.	Face of Wall	Tr.H.	Track of Hedge
C.C.S.	Centre of Covered Stream	Def.	Defaced	R.H.	Roof of Hedge	Tr.S.	Track of Stream
C.D.	Centre of Drain, etc.	E.K.	Edge of Kerb	S.R.	Side of River, etc.	Und.	Undefined

Imperial equivalents for metric boundary merings:
9.14m = 30 ft
5.2m = 17 ft

NATIONAL GRID REFERENCE

The grid lines form part of the National Grid and are at 100 metre intervals. To give a unique reference defining the position of a point to within 10 metres proceed as follows:

EXAMPLE from sheet TQ 0929

- Take the two letters preceding the sheet number: TQ 0929
- Take the west edge of the grid square in which the point lies and read the figures opposite this line on the north or south margin: 098
- Estimate tenths of metres from the grid line to the point (distance in metres): 8
- Take the south edge of the grid square in which the point lies and read the figures opposite this line on the east or west margin: 291
- Estimate tenths of metres from the grid line to the point (distance in metres): 6
- The resulting four figure number is the Northing: 2916
- The resulting four figure number is the Easting: 0988
- The full six figure reference is given by writing first the letters, followed by the Easting and then by the Northing: TQ 09882916

For further information see 'An Introduction to the Projection for Ordnance Survey Maps and the National Reference System'