

9820


ORDNANCE SURVEY

Scale: 1:2500 or 25-344 inches to 1 Mile

Revised - May 1959
Levelled - 1952

PLAN ST 9820

PLAN ST 9820



Made and published by the Director General of the Ordnance Survey, Chessington, Surrey, 1960. Reconstituted from former County Series plans. Revised 1959.

© Crown Copyright 1960.

PLAN ST 9820

PLAN ST 9820

REFERENCE

For fuller information see Reference Card published separately.

NATIONAL GRID REFERENCE

The lines on the plan form part of the National Grid and are spaced at 100 metre intervals. To give a large scale reference defining the position of a point to the nearest 10 metres proceed as follows:

EASTING		NORTHING	
Take west edge of square in which point lies and read the figures opposite this line on NORTH and SOUTH margins	Estimate tens of metres from the grid line	Take south edge of square in which point lies and read the figures opposite this line on EAST and WEST margins	Estimate tens of metres from the grid line
980	2	200	3
9802		2003	

TEN METRE REFERENCE: ST 98022003

For further information see "The Projection for Ordnance Survey Maps and Plans" and the National Reference System. The representation on this plan of a road, track or footpath is no evidence of the existence of a right of way. 1 square inch on this plan represents 956 of an acre on the ground. The alignment of tunnels where shown is approximate.

PARCEL NUMBERS AND ACREAGES

The number and acreage of each parcel of land is shown within the parcel. It is important when identifying a parcel to specify the number(s) of the plan(s) on which it falls. IN PARCELS DIVIDED BY THE SHEET EDGE, THE ACREAGES ARE SHOWN TO SHEET EDGE ONLY.

- Antiquities (site of)
- Change of boundary mering
- Limit of area within which the acreages of individual parcels are not shown
- Bench Mark (Fundamental)
- Parcels joined for acreages
- Levelling Information
- Altitudes of Bench Marks and Surface Levels are given in feet above the Newlyn Datum. Bench Mark lists, containing fuller and possibly later levelling information, are obtainable from the Director General, Ordnance Survey.
- Boundary Mering Abbreviations
- Base of Bank (BB)
- Centre of Bank (CB)
- Centre of Canal, etc (CC)
- Centre of Drain, etc (CD)
- Centre of Covered Stream (CCS)
- Bench Mark
- Surface Level
- Revision Point or Traverse Station
- Triangulation Station
- Face of Wall (FW)
- Side of River, etc (SR)
- Track of Hedge (Tk H)
- Track of Stream (Tk S)
- Defaced, Undefined (Def, Und)

- Beer House (BH)
- Bench Mark (BM)
- Boundary Post (BP)
- Boundary Stone (BS)
- Capstan, Crane (Ca, C)
- Cart Track (CT)
- Drinking Fountain (D F)
- Electricity Pillar, Post or Pylon (E I P)
- Fire Alarm Pillar (FAP)
- Flagstaff (FS)
- Foot Bridge (FB)
- Footpath (FP)
- Fundamental Bench Mark (FBM)
- Guide Post (GP)
- Letter Box (LB)
- Level Crossing (LC)
- Mile, or Mooring Post (MP)
- Mile Stone (MS)
- Pillar, Pole, Post or Pylon (P)
- Police Call Box (PCB)
- Police Telephone Pillar (PTP)
- Post Office (PO)
- Public House (PH)
- Pump (P)
- Revision Point (RP)
- Signal Box (SB)
- Signal Bridge (S Br)
- Signal Post (SP)
- Spring (Spr)
- Stone (St)
- Sundial (S)
- Tank or Track (TK)
- Telephone Call Box (TCB)
- Traverse Station (TS)
- Water Point (W P)
- Water Tap (W T)
- Weightbridge (WB)
- Well (W)
- Wind Pump (Wd P)
- High or Low Water Mark of Medium Tides (H or LWMT)
- High or Low Water Mark of Ordinary Spring Tides (H or LWAST)