
ENFORCEMENT REGISTER INFORMATION SHEET



ADDRESS

MORAVIAL CHURCH OXFORD STAKET. MALMASSURY.

BREACH of CONTROL

SEN ATTACHUS NOTICH

Issuing Authority

WWDC

STOP NOTICES

Date Served

Requiring



Date Issued 24.2.95

Date(s) served

24.2.95

Takes effect 494.95

Compliance by 4.7.95.

Dates Extended by Secretary of State

Date withdrawn

REQUIREMENTS of ENFORCEMENT

SER ATTACHUD NOTICE .

EXTENT to WHICH NOTICE COMPLIED WITH (dates)

IMPORTANT -

THIS COMMUNICATION AFFECTS YOUR PROPERTY

District Secretary's Department, 1

G.C. Betteridge, LL.B. (Solicitor), District Secretary
DX 34208 Fax (0249) 443152

tel: CHIPPENHAM (0249) 443322

. 750

PAUL TAYLOR

ext:

598

Dear Sir/Madam,

24th FEBRUARY 1995

North

NORTH WILTSHIRE DISTRICT COUNCIL Monkton Park, CHIPPENHAM, SN15 1ER

NORTH WILTSHIRE DISTRICT COUNCIL

PLANNING (LISTED BUILDINGS AND CONSERVATION AREAS) ACT 1990

LISTED BUILDING ENFORCEMENT NOTICE

MORAVIAN CHURCH, OXFORD STREET, MALMESBURY

The Council have issued a Listed Building Enforcement Notice and I now serve on you a copy of it, in view of your interest in the premises. Unless an appeal is made to the Secretary of State in the manner here described, the Notice will take effect on the date shown in the box below and you must then ensure that the steps for which you may be held responsible are taken within the period or periods specified in the Notice.

If you wish to appeal, you or your agent should write to the Planning Inspectorate, Department of the Environment, Tollgate House, Houlton Street, Bristol, BS2 9DJ setting out your grounds of appeal and, in brief, the facts on which you rely for support. The statutory grounds of appeal available are set out in Section 39 of the Act, which I copy to you. Any appeal should have with it the extra copy of the Notice that I have provided. AN APPEAL SHOULD BE RECEIVED BY THE PLANNING INSPECTORATE BEFORE THE NOTICE TAKES EFFECT.

The reasons why the local planning authority consider it expedient to take this action are briefly set out in the Notice.

Date on which Notice takes effect and BEFORE which any Appeal should be received:

4th APRIL 1995

THE MORAVIAN CHURCH INC.

CHURCH HOUSE 5 MUSWELL HILL LONDON S10 3TJ REV. P. GUBI 14 THE MALL SWINDON SN1 4JG Yours faithfully,

DISTRICT SECRETARY

MR. T. VINCE C/O 24 ORMOND ROAD RICHMOND TW10 6 TH

PLANNING (LISTED BUILDINGS AND CONSERVATION AREAS) ACT 1990

LISTED BUILDING ENFORCEMENT NOTICE

MORAVIAN CHURCH, OXFORD STREET, MALMESBURY

WHEREAS

- (1) It appears to the North Wiltshire District Council ("the Council") being the local planning authority for the purposes of Section 38 of the Planning (Listed Buildings and Conservation Areas) Act 1990 ("the Act") in this matter that works have been/are being executed to the listed building in their area described in Schedule 1 overleaf such as to involve a contravention of Section 9 of the Act.
- (2) The contravention which appears to have taken place is described in Schedule 2 overleaf.
- (3) The Council consider it expedient, having regard to the effect of the said works on the character of the listed building as one of special architectural or historic interest and to all other material considerations, to issue this listed building enforcement notice, in exercise of their powers in the said Section 38 for the reasons set out in this notice.

NOTICE IS HEREBY GIVEN that the Council require that the steps specified in Schedule 3 overleaf be taken for the purposes set out in that Schedule within the period or periods there specified from the date on which this notice takes effect. AND THIS NOTICE SHALL TAKE EFFECT, subject to the provisions of Section 39 of the Act, on

4th APRIL 1995

ISSUED. 24th FEBRUARY 1995

Signed ... S. C. Bitters

DISTRICT SECRETARY

Monkton Park, Chippenham, SN15 1ER

SCHEDULE 1 - LISTED BUILDING TO WHICH THIS NOTICE RELATES

The Moravian Church, Oxford Street, Malmesbury, Wiltshire (Listed Grade II) shown stippled on the attached plan ('the building')

SCHEDULE 2 - THE CONTRAVENTION

Unauthorised works to the building, consisting of:-

- (1) Dismantling of brick wall at north-eastern boundary of the property
- (2) Dismantling and removal of railings from eastern boundary of the property

SCHEDULE 3 - STEPS REQUIRED TO BE TAKEN

- (1) Renewing the two lengths of stone plinth situated along the eastern boundary of the property, separated by two stone steps, as set out below:-
- (a) The plinth to be renewed in coursed dressed masonry surmounted with a chamfered dressed stone coping
- (b) There to be one course of dressed masonry plus coping as described above at the southern end of the plinth, rising to three courses at the northern end, so as to restore and maintain the original horizontal level of the plinth
- (c) The detailing on the renewed plinth to match exactly that on the surviving section of plinth
- (d) The stonework to be rebuilt in a lime mortar comprising one part lime putty: 3parts stone dust. The mortar joints to be no wider than 5mm. and finished flush.
- (2) Replace and repair the original railings and gates along the eastern boundary of the property, as follows:-
- (a) Missing or damaged sections of the original railings and/or gates to be replaced or repaired as appropriate to match exactly the original detail
- (b) The railings to be wedged and set into position in a lime-mortar
- (3) Rebuild the stone pier at the north-east corner of the property as follows:-
- (a) The detailing on the pier to match exactly that on the original pier
- (b) The pier to comprise one full sized stone plinth, plus four courses of dressed ashlars, there being four ashlars per course, and a splayed coping stone with a three inch deep upstand.
- (c) The ashlar stones to be rebuilt in a lime mortar comprising one part lime putty: 3 parts stone dust. The mortar joints to be no wider than 5mm. and finished flush.
- (4) Rebuild the brick return wall along the northern boundary of the property, from the pier at the north-eastern corner to the wall of the church, as follows:-
- (a) The return wall to be made from hand-made bricks laid to English Garden Wall, with the detail to match exactly the original wall, consisting of twenty-one courses of brickwork alternating one course headers, three courses stretchers.
- (b) The brickwork described above to be laid on a rubble stone levelling course, with the wall surmounted by a three-inch deep natural stone coping.
- (c) The finished height of the return wall to be level with that of the rebuilt stone pier described above.


- (d) The return wall and rubble stone levelling course to be rebuilt in lime mortar comprising 1:3:12 white cement:lime putty:aggregate of well-graded light-coloured sand. The joints to be 5-7 mm in size, with the joints finished slightly back from the face of the brickwork and the green mortar lightly tamped to expose the aggregate.
- (5) All bricks, stone, mortar and other materials to be used in the works set out above to be subject to the prior approval of the District Council, with samples to be submitted for such approval before the commencement of the relevant works.

FOR RESTORING THE BUILDING TO ITS FORMER STATE

ALL WITHIN THE PERIOD OF THREE MONTHS FROM THE DATE ON WHICH THIS NOTICE TAKES EFFECT

REASONS FOR ISSUE OF THIS NOTICE

It is considered important that the wall and railings be restored for the benefit of the listed building and appearance of the Conservation Area.



IMPORTAN THIS COMMUNICATION AFFECT YOUR PROPERTY NORTH WILTSHIRE DISTRICT COUNCIL Monkton Park, CHIPPENHAM, SN15 1ER District Secretary's Department, G.C. Betteridge, LL.B. (Solicitor), District Secretary 750 Fax (0249) 443152 DX 34208 PAUL TAYLOR 598 t

Dear Sir/Madam.

tel: CHIPPENHAM (0249) 443322

lst MAY 1995

NORTH WILTSHIRE DISTRICT COUNCIL

PLANNING (LISTED BUILDINGS AND CONSERVATION AREAS) ACT 1990

MORAVIAN CHURCH OXFORD STREET MALMESBURY

The Council have issued a Listed Building Enforcement Notice and I now serve on you a copy of it, in view of your interest in the premises. Unless an appeal is made to the Secretary of State in the manner here described, the Notice will take effect on the date shown in the box below and you must then ensure that the steps for which you may be held responsible are taken within the period or periods specified in the Notice.

If you wish to appeal, you or your agent should write to the Planning Inspectorate, Department of the Environment, Tollgate House, Houlton Street, Bristol, BS2 9DJ setting out your grounds of appeal and, in brief, the facts on which you rely for support. The statutory grounds of appeal available are set out in Section 39 of the Act, which I copy to you. Any appeal should have with it the extra copy of the Notice that I have provided. APPEAL SHOULD BE RECEIVED BY THE PLANNING INSPECTORATE BEFORE THE NOTICE TAKES EFFECT.

The reasons why the local planning authority consider it expedient to take this action are briefly set out in the Notice.

Date on which Notice takes effect and BEFORE which any Appeal should be received: 12th JUNE 1995

Yours faithfully,

S. C. Bettenda DISTRICT SECRETARY

THE MORAVIAN CHURCH INC. CHURCH HOUSE 55 MUSWELL HILL LONDON S10 3TJ

REV. P. GUBI 14 THE MALL SWINDON SN1 4 JG

MR. T. J. VINCE PO BOX 94 MALMESBURY SN16 9

MR. T. J VINCE C/O 12 CLAREMONT ROA TWICKENHAM MIDDLESEX

MR T. J. VINCE C/O MrE. VINCE PO BOX 245 TWICKENHAM MIDDLESEX TW1 2RR

PLANNING (LISTED BUILDINGS AND CONSERVATION AREAS) ACT 1990

LISTED BUILDING ENFORCEMENT NOTICE

MORAVIAN CHURCH OXFORD STREET MALMESBURY

WHEREAS

- (1) It appears to the North Wiltshire District Council ("the Council") being the local planning authority for the purposes of Section 38 of the Planning (Listed Buildings and Conservation Areas) Act 1990 ("the Act") in this matter that works have been/are being executed to the listed building in their area described in Schedule 1 overleaf such as to involve a contravention of Section 9 of the Act.
- (2) The contravention which appears to have taken place is described in Schedule 2 overleaf.
- (3) The Council consider it expedient, having regard to the effect of the said works on the character of the listed building as one of special architectural or historic interest and to all other material considerations, to issue this listed building enforcement notice, in exercise of their powers in the said Section 38 for the reasons set out in this notice.

NOTICE IS HEREBY GIVEN that the Council require that the steps specified in Schedule 3 overleaf be taken for the purposes set out in that Schedule within the period or periods there specified from the date on which this notice takes effect. AND THIS NOTICE SHALL TAKE EFFECT, subject to the provisions of Section 39 of the Act. on
12th JUNE 1995

ISSUED.	lst	MAY 19	195	
100060.		سيده ملحكات	4-4-4	

·--··

Signed. G. G. Beltindy

DISTRICT SECRETARY

Monkton Park, Chippenham, SN15 1ER

SCHEDULE 1 - LISTED BUILDING TO WHICH THIS NOTICE RELATES

The Moravian Church, Oxford Street, Malmesbury, Wiltshire (Listed Grade II) shown stippled on the attached plan ('the building')

SCHEDULE 2 - THE CONTRAVENTION

Unauthorised works to the building, consisting of:-

- (1) Dismantling of brick wall at north-eastern boundary of the property
- (2) Dismantling and removal of railings from eastern boundary of the property

SCHEDULE 3 - STEPS REQUIRED TO BE TAKEN

- (1) Renewing the two lengths of stone plinth situated along the eastern boundary of the property, separated by two stone steps, as set out below:-
- (a) The plinth to be renewed in coursed dressed masonry surmounted with a chamfered dressed stone coping
- (b) There to be one course of dressed masonry plus coping as described above at the southern end of the plinth, rising to three courses at the northern end, so as to restore and maintain the original horizontal level of the plinth
- (c) The detailing on the renewed plinth to match exactly that on the surviving section of plinth
- (d) The stonework to be rebuilt in a lime mortar comprising one part lime putty: 3parts stone dust. The mortar joints to be no wider than 5mm. and finished flush.
- (2) Replace and repair the original railings and gates along the eastern boundary of the property, as follows:-
- (a) Missing or damaged sections of the original railings and/or gates to be replaced or repaired as appropriate to match exactly the original detail
- (b) The railings to be wedged and set into position in a lime-mortar
- (3) Rebuild the stone pier at the north-east corner of the property as follows:-
- (a) The detailing on the pier to match exactly that on the original pier
- (b) The pier to comprise one full sized stone plinth, plus four courses of dressed ashlars, there being four ashlars per course, and a splayed coping stone with a three inch deep upstand.
- (c) The ashlar stones to be rebuilt in a lime mortar comprising one part lime putty: 3 parts stone dust. The mortar joints to be no wider than 5mm. and finished flush.
- (4) Rebuild the brick return wall along the northern boundary of the property, from the pier at the north-eastern corner to the wall of the church, as follows:-
- (a) The return wall to be made from hand-made bricks laid to English Garden Wall, with the detail to match exactly the original wall, consisting of twenty-one courses of brickwork alternating one course headers, three courses stretchers.
- (b) The brickwork described above to be laid on a rubble stone levelling course, with the wall surmounted by a three-inch deep natural stone coping.
- (c) The finished height of the return wall to be level with that of the rebuilt stone pier described above.


- (d) The return wall and rubble stone levelling course to be rebuilt in lime mortar comprising 1:3:12 white cement:lime putty:aggregate of well-graded light-coloured sand. The joints to be 5-7 mm in size, with the joints finished slightly back from the face of the brickwork and the green mortar lightly tamped to expose the aggregate.
- (5) All bricks, stone, mortar and other materials to be used in the works set out above to be subject to the prior approval of the District Council, with samples to be submitted for such approval before the commencement of the relevant works.

FOR RESTORING THE BUILDING TO ITS FORMER STATE

ALL WITHIN THE PERIOD OF THREE MONTHS FROM THE DATE ON WHICH THIS NOTICE TAKES EFFECT

REASONS FOR ISSUE OF THIS NOTICE

It is considered important that the wall and railings be restored for the benefit of the listed building and appearance of the Conservation Area.



IMPOR

24 FEB 1995

PLANNING DEPT

DATEREC

THIS COMMUNICATION AFFE YOUR PROPERTY

PASSED TO SOL

> NORTH WILTSHIRE DISTRICT COUNCIL Monkton Park, CHIPPENHAM, SN15 1ER

District Secretary's Department,

G.C. Betteridge, LL.B. (Solicitor), District Secretary Fax (0249) 443152 DX 34208

tel: CHIPPENHAM (0249) 443322

PAUL TAYLOR

ext:

598

Dear Sir/Madam,

24th FEBRUARY 1995

NORTH WILTSHIRE DISTRICT COUNCIL

PLANNING (LISTED BUILDINGS AND CONSERVATION AREAS) ACT 1990

MORAVIAN CHURCH, OXFORD STREET, MALMESBURY

The Council have issued a Listed Building Enforcement Notice and I now serve on you a copy of it, in view of your interest in the premises. Unless an appeal is made to the Secretary of State in the manner here described, the Notice will take effect on the date shown in the box below and you must then ensure that the steps for which you may be held responsible are taken within the period or periods specified in the Notice.

If you wish to appeal, you or your agent should write to the Planning Inspectorate, Department of the Environment, Tollgate House, Houlton Street, Bristol, BS2 9DJ setting out your grounds of appeal and, in brief, the facts on which you rely for support. The statutory grounds of appeal available are set out in Section 39 of the Act, which I copy to you. Any appeal should have with it the extra copy of the Notice that I have provided. AN APPEAL SHOULD BE RECEIVED BY THE PLANNING INSPECTORATE BEFORE THE NOTICE TAKES EFFECT.

The reasons why the local planning authority consider it expedient to take this action are briefly set out in the Notice.

Date on which Notice takes effect and BEFORE which any Appeal should be received:

4th APRIL 1995

THE MORAVIAN CHURCH INC. CHURCH HOUSE

5 MUSWELL HILL LONDON S10 3TJ

REV. P. GUBI 14 THE MALL SWINDON SN1 4JG

Yours faithfully.

DISTRICT SECKETARY

MR. T. VINCE C/O 24 ORMOND ROAD RICHMOND TW10 6 TH

PLANNING (LISTED BUILDINGS AND CONSERVATION AREAS) ACT 1990

LISTED BUILDING ENFORCEMENT NOTICE

MORAVIAN CHURCH, OXFORD STREET, MALMESBURY

WHEREAS

- (1) It appears to the North Wiltshire District Council ("the Council") being the local planning authority for the purposes of Section 38 of the Planning (Listed Buildings and Conservation Areas) Act 1990 ("the Act") in this matter that works have been/are being executed to the listed building in their area described in Schedule 1 overleaf such as to involve a contravention of Section 9 of the Act.
- (2) The contravention which appears to have taken place is described in Schedule 2 overleaf.
- (3) The Council consider it expedient, having regard to the effect of the said works on the character of the listed building as one of special architectural or historic interest and to all other material considerations, to issue this listed building enforcement notice, in exercise of their powers in the said Section 38 for the reasons set out in this notice.

NOTICE IS HEREBY GIVEN that the Council require that the steps specified in Schedule 3 overleaf be taken for the purposes set out in that Schedule within the period or periods there specified from the date on which this notice takes effect. AND THIS NOTICE SHALL TAKE EFFECT, subject to the provisions of Section 39 of the Act, on

4th APRIL 1995

ISSUED. 24th FEBRUARY 1995

Signed S. C. Battandy

DISTRICT SECRETARY

Monkton Park, Chippenham, SN15 1ER

SCHEDULE 1 - LISTED BUILDING TO WHICH THIS NOTICE RELATES

The Moravian Church, Oxford Street, Malmesbury, Wiltshire (Listed Grade II) shown stippled on the attached plan ('the building')

SCHEDULE 2 - THE CONTRAVENTION

Unauthorised works to the building, consisting of:-

- (1) Dismantling of brick wall at north-eastern boundary of the property
- (2) Dismantling and removal of railings from eastern boundary of the property

SCHEDULE 3 - STEPS REQUIRED TO BE TAKEN

- (1) Renewing the two lengths of stone plinth situated along the eastern boundary of the property, separated by two stone steps, as set out below:-
- (a) The plinth to be renewed in coursed dressed masonry surmounted with a chamfered dressed stone coping
- (b) There to be one course of dressed masonry plus coping as described above at the southern end of the plinth, rising to three courses at the northern end, so as to restore and maintain the original horizontal level of the plinth
- (c) The detailing on the renewed plinth to match exactly that on the surviving section of plinth
- (d) The stonework to be rebuilt in a lime mortar comprising one part lime putty: 3parts stone dust. The mortar joints to be no wider than 5mm. and finished flush.
- (2) Replace and repair the original railings and gates along the eastern boundary of the property, as follows:-
- (a) Missing or damaged sections of the original railings and/or gates to be replaced or repaired as appropriate to match exactly the original detail
- (b) The railings to be wedged and set into position in a lime-mortar
- (3) Rebuild the stone pier at the north-east corner of the property as follows:-
- (a) The detailing on the pier to match exactly that on the original pier
- (b) The pier to comprise one full sized stone plinth, plus four courses of dressed ashlars, there being four ashlars per course, and a splayed coping stone with a three inch deep upstand.
- (c) The ashlar stones to be rebuilt in a lime mortar comprising one part lime putty: 3 parts stone dust. The mortar joints to be no wider than 5mm. and finished flush.
- (4) Rebuild the brick return wall along the northern boundary of the property, from the pier at the north-eastern corner to the wall of the church, as follows:-
- (a) The return wall to be made from hand-made bricks laid to English Garden Wall, with the detail to match exactly the original wall, consisting of twenty-one courses of brickwork alternating one course headers, three courses stretchers.
- (b) The brickwork described above to be laid on a rubble stone levelling course, with the wall surmounted by a three-inch deep natural stone coping.
- (c) The finished height of the return wall to be level with that of the rebuilt stone pier described above.

- (d) The return wall and rubble stone levelling course to be rebuilt in lime mortar comprising 1:3:12 white cement:lime putty:aggregate of well-graded light-coloured sand. The joints to be 5-7 mm in size, with the joints finished slightly back from the face of the brickwork and the green mortar lightly tamped to expose the aggregate.
- (5) All bricks, stone, mortar and other materials to be used in the works set out above to be subject to the prior approval of the District Council, with samples to be submitted for such approval before the commencement of the relevant works.

FOR RESTORING THE BUILDING TO ITS FORMER STATE

ALL WITHIN THE PERIOD OF THREE MONTHS FROM THE DATE ON WHICH THIS NOTICE TAKES EFFECT

REASONS FOR ISSUE OF THIS NOTICE

It is considered important that the wall and railings be restored for the benefit of the listed building and appearance of the Conservation Area.

